



CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission

ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

Applicant: Sam Gianukos, agent for Michael Ogier, owner

Property: 229 W 16th Street, Lots 36 and 37 of the Houston Heights Subdivision. The property is a 1,027 square foot one-story wood single-family residence situated on a 6600 square foot (50' by 136') interior lot.

Significance: Contributing Craftsman property constructed circa 1920, located in the Houston Heights West Historic District.

Proposal: New Construction – Garage

The applicant proposes to construct a two-story garage with upstairs living space to the rear of a one-story contributing home.

- Garage will be alley-loading with vehicular entry to the rear
- Garage will be separated from a proposed two-story addition by 5' 6"
- Garage will feature an eave height of
- Garage will feature horizontal lap cementitious siding with a 2 and ½ inch reveal.
- Proposed addition on primary residence being considered in a separate COA application (HP2026-0282).
- All new windows need to be inset and recessed. See Attachment A for details.

Public Comment: No public comment received.

Civic Association: No civic association comment received.

Recommendation: Approval

HAHC Action: -



CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission

ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

APPROVAL CRITERIA

NEW CONSTRUCTION IN A HISTORIC DISTRICT

Sec. 33-242(a): HAHC shall issue a certificate of appropriateness for new construction in a historic district upon finding that the application satisfies the following criteria:

S D NA

S - satisfies D - does not satisfy NA - not applicable

- | | | | |
|-------------------------------------|--------------------------|--------------------------|---|
| ☒ | ☐ | ☐ | (1) The distance from the property line of the front and side walls, porches, and exterior features of any proposed new construction must be compatible with the distance from the property line of similar elements of existing contributing structures in the context area; |
| ☒ | ☐ | ☐ | (2) The exterior features of the new construction must be compatible with the exterior features of existing contributing structures in the context area; |
| ☒ | ☐ | ☐ | (3) The scale and proportions of the new construction, including the relationship of the width and roofline, overall height, eave height, foundation height, porch height, roof shape, and roof pitch, and other dimensions to each other, must be compatible with the typical scale and proportions of existing contributing structures in the context area unless special circumstances, such as an atypical use, location, or lot size, warrant an atypical scale and proportions; |
| ☒ | ☐ | ☐ | (4) The height of the new construction must not be taller than the typical height of existing contributing structures in the context area unless special circumstances, such as an atypical use, location, or lot size, warrant an atypical height, except that:

(a) Design guidelines for an individual historic district may provide that a new construction with two stories may be constructed in a context area with only one-story contributing structures as long as the first story of the new construction has proportions compatible with the contributing structures in the context area, and the second story has similar proportions to the first story; and

(b) A new construction shall not be constructed with more than one story in a historic district that is comprised entirely of one-story contributing structures, except as provided for in design guidelines for an individual historic district. |



ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

HEIGHTS DESIGN GUIDELINES MEASURABLE STANDARDS

S D NA S - satisfies D - does not satisfy NA - not applicable

☒ ☐ ☐

Maximum Lot Coverage (Addition and New Construction)

Existing Lot Size: 6,800
Max Lot Coverage Allowed: 2,720
Proposed Lot Coverage / Coverage %: 2,128 = 39%

☒ ☐ ☐

Maximum Floor Area Ratio (Addition and New Construction)

Existing Lot Size: 6,800
Max FAR Allowed: 2,992
Proposed Lot Coverage / Coverage %: 2,915 = 43%

☒ ☐ ☐

Side Wall Length and Insets (Addition and New Construction)

MEASUREMENT	APPLICATION
50 FT.	Maximum side wall length without inset (1-story)
40 FT.	Maximum side wall length without inset (2-story)
1 FT.	Minimum depth of inset section of side wall (1-story)
2 FT.	Minimum depth of inset section of side wall (2-story)
6 FT.	Minimum length of inset section of side wall

Side Wall Length: 24' 6"
Inset on left side: NA
Inset on right side: NA

☒ ☐ ☐

Side Setbacks (Addition and New Construction)

MEASUREMENT	APPLICATION
3 FT.	Minimum distance between side wall and the property line (for lots less than 35 feet wide)
5 FT.	Minimum distance between the side wall and the property line
REMAINING	Difference between minimum side setback of 5 feet and minimum cumulative side setback
6 FT.	Minimum cumulative side setback (for lots less than 35 feet wide)
10 FT.	Minimum cumulative side setback (1-story house)
15 FT.	Minimum cumulative side setback (2-story house)

Proposed side setback (right) side: 5'
Proposed side setback (left) side: 23'
Cumulative side setback: 28'

☒ ☐ ☐

Eave Height (Addition and New Construction)

PRIMARY BUILDING (2-STORY)	
MEASUREMENT	APPLICATION
20 FT.	Maximum 2-story eave height (at 5 FT. minimum side setback)
22 FT.	Maximum 2-story eave height (at 7 FT. or greater side setback)



CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission

ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

Proposed eave height: 19.5'

☒ ☐ ☐

Front Setbacks (New Construction)

The setback is the distance from the property line to the front wall, porch, or exterior feature.

Proposed front setback: 83'

☒ ☐ ☐

Front Wall Width and Insets (New Construction)

MEASUREMENT	APPLICATION
30 FT.	Maximum front wall width before inset
4 FT.	Minimum width of inset section of front wall
40 FT.	Maximum width of 1-story building (for lots ≤ 50 FT. wide)
35 FT.	Maximum width of 2-story building (for lots ≤ 50 FT. wide)
50 FT.	Maximum width of building (for lots ≤ 50 FT. wide)

Max front wall width: 22'

Max front wall depth: 24' 6"

☐ ☐ ☒

Front Porch Width and Depth (Addition and New Construction)

The width of a porch is measured between the corners of the porch foundation at the front of the porch.

MEASUREMENT	APPLICATION
6 FT.	Minimum depth of front porch
50%	Minimum percentage of front wall width covered by porch

Proposed front porch width: INSERT FRONT PORCH WIDTH.

Proposed front porch depth: INSERT FRONT PORCH DEPTH

☐ ☐ ☒

Porch Eave Height (Addition and New Construction)

MEASUREMENT	APPLICATION
9-11 FT.	Minimum and maximum 1-story porch eave height

Proposed porch eave height: INSERT PORCH EAVE HEIGHT

☒ ☐ ☐

Building Wall (Plate) Height (Addition and New Construction)

MEASUREMENT	APPLICATION
36 IN.	Maximum finished floor height (as measured at front of structure)
10 FT.	Maximum first floor plate height
9 FT.	Maximum second floor plate height

Proposed finished floor: 6"

Proposed first floor plate height: 9'

Proposed second floor plate height: 9'

☒ ☐ ☐

Rear Setbacks (Addition and New Construction)



CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission

ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

MEASUREMENT	APPLICATION
3 FT.	Minimum setback from rear property line
0 FT.	Front-facing garage (with rear wall at alley)
20 FT. (24 FT. preferred)	Minimum clearance from alley-loading garage from either an opposing alley-loading garage door, rear wall of a front-facing garage, or fence

Proposed rear setback: 5'

☒ ☐ ☐

Detached Garage Ridge Height (New Construction)

DETACHED GARAGE (1-STORY)		DETACHED GARAGE (2-STORY)	
MEASUREMENT	APPLICATION	MEASUREMENT	APPLICATION
16 FT.	Maximum 1-story garage ridge height	20 FT.	Maximum 2-story garage ridge height (for garage apartment)

Proposed ridge height: 25' 9"



CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission

ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

DISTRICT MAP





CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission

ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

INVENTORY PHOTO



CURRENT PHOTO





CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission

ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

CONTEXT AREA



239 W 16th St – Non-Contributing



233 W 16th St - Contributing



1545 Alston Street - Contributing



219 W 16th Street – Non-Contributing





CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission

ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

3D RENDERING





CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission

ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

WINDOW & DOOR SCHEDULES

PROPOSED WINDOW SCHEDULE							
Window	Material	Lite Pattern	Style	Dimensions	Recessed/ Inset	Brand/ Vendor	Other
<i>Ex. A1</i>	<i>Wood</i>	<i>1/1</i>	<i>DH</i>	<i>32 x 66</i>	<i>Recessed</i>	<i>Plygem</i>	
A1	Wood	1/1	SH	32 x 68	Recessed	Jeld Wen	
B1	Wood		FX	36 x 18	Recessed	Jeld Wen	



CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission


ITEM A10
HPO File #: HP2026_0282

October 8, 2026


229 W 16th Street
Houston Heights West

SITE PLAN

Addition part of
a separate
COA
application



EXISTING



PROPOSED



CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission


ITEM A10
HPO File #: HP2026_0282

October 8, 2026


229 W 16th Street
Houston Heights West

FLOOR PLAN

FIRST FLOOR



SECOND FLOOR





CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission


ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

FRONT (SOUTH) ELEVATIONS

PROPOSED




PROPOSED SOUTH GARAGE ELEVATION

Scale: 1/4" = 1'-0"

LEFT (WEST) ELEVATION

PROPOSED



PROPOSED WEST GARAGE ELEVATION

Scale: 1/4" = 1'-0"



CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission


ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

RIGHT (EAST) ELEVATIONS

PROPOSED




PROPOSED EAST GARAGE ELEVATION

Scale: 1/4" = 1'-0"

REAR (NORTH) ELEVATION

PROPOSED (WITHOUT PROPOSED ADDITION)



PROPOSED SOUTH GARAGE ELEVATION

Scale: 1/4" = 1'-0"



CERTIFICATE OF APPROPRIATENESS

Reviewed by the Houston Archaeological and Historical Commission


ITEM A10
HPO File #: HP2026_0282

October 8, 2026

229 W 16th Street
Houston Heights West

ROOF PLAN

PROPOSED





ITEM A10
HPO File #: HP2026_0282


October 8, 2026

229 W 16th Street
Houston Heights West

ATTACHMENT A



Historic Window Standard: New Construction & Replacement



Minimum 1 3/4 inch Inset

- Depth from Exterior Casing to the Face of the Window Unit (Upper Sash)
- Windows must be 1-over-1 (equally horizontally divided)
- 1 3/4 inch minimum inset for Fixed Window

For more information contact: Houston Office of Preservation

832-393-6556

historicpreservation@houstontx.gov